ML DQ Medication Optimisation LES Guide


This guide Includes the following:

- Structured Medication Review
- Topiramate and Valproate

Structured Medication Review

Template:ML ICB Structured Medication Review v2.0


ML ICB Structured Medication template should be used to provide the correct code for capturing those patients who required a Structured Medication Review



Structured Medication Review Searches:

Please find detailed below information about the searches, check population reporting Distributed folder for latest version:
All searches for the Enhanced Services can be found in the distributed searches folder in ES&R.

Please find detailed below information about the searches:




SMR Search work on the assumption that relevant codes have been added to the patients record from the template ML ICB Structured Medication Review v2.0

ACTION Searches:


Midlands and Lancashire CSU

This folder contains searches which may affect your payments. Please review these searches and take action to ensure that these patients are not missed from your claims



SMRDQ1 – Identifies patients who have had more than 1 SMR coded on the same day. As per the spec Where two SMR's are coded on the same day, payment will be made for one procedure only.
SMRDQ2 – Identifies patients who have had an SMR coded within 7 days of a previous SMR
SMRDQ3 - As the claim search has consultation types applied activity must be recorded using the appropriate consultation type, you can use the report to check activity.

CLAIMS folder:
This search identifies how many patients have had the appropriate coding added from the template for a SMR YTD. The aggregate report gives a monthly count of SMR clinical codes.



Topiramate and Valproate

For Valproate and Topiramate the practices must complete the elements of the pregnancy prevention programme.


Valproate – practices should not initiate this medication, and the ARAF needs to be completed by the specialist, for all females who have the potential to becomes pregnant. See valproate risk mitigation material

Topiramate – for the treatment of migraine the annual risk awareness form is usually completed by a primary care health care professional, because the patient is unlikely to be under secondary care, however for epilepsy the specialist must complete the epilepsy annual risk awareness form. And it is described that way in the forms, which are linked above.


Template: ML ICB Topiramate and Valproate

ML ICB Topiramate and Valproate template should be used to provide the correct code for capturing those patients who required a Pregnancy Prevention Programme and Annual Risk Acknowledgment Form.


Pregnancy Prevention Programme Topiramate and Valproate



Annual Risk Acknowledgement Form Topiramate



Annual Risk Acknowledgement Form Valproate




Topiramate and Valproate Searches

Please find detailed below information about the searches, check population reporting Distributed folder for latest version:

All searches for the Enhanced Services can be found in the distributed searches folder in ES&R.

Please find detailed below information about the searches:



Search work on the assumption that relevant codes have been added to the patients record from the template ML ICB Topiramate and Valproate template

Midlands and Lancashire CSU

ACTIVITY Folder:
These searches identify how many patients have had the appropriate coding added from the template for both Topiramate and Valproate:

